



Hardwood: ccf'5ggYa V]Yg


Concrete slab with hardwood




Wood joist with hardwood



Concrete slab with tile or stone




Wood joist with tile or stone



Concrete slab with floating laminate




Wood joist with floating laminate



Concrete slab with engineered wood



Wood joist with engineered wood



: fYei Ybhmi5g_YX'E i Yghjcbg

What type of floor covering can I use with Fabreeka QuietDown?

Laminate, engineered wood, solid hardwood, commercial carpet, ceramic tile, porcelain and stone.

Does the smell of rubber go away?

Yes it does. Fabreeka QuietDown is manufactured using recycled rubber, which has an odor of rubber. Left in the open, the smell will dissipate after a few days. Once covered by the floor covering the smell will no longer be detectable.

Can I use Fabreeka QuietDown in my basement?

Fabreeka QuietDown Max HB is 100% vapor proof, and we have had a number of customers install it in their basements. Fabreeka QuietDown Max HB will prevent moisture from traveling upwards into your floor covering, *but* if you have a wet basement issue, Fabreeka QuietDown Max HB will *not* solve your problem. It is recommended that you fix the root cause of the moisture, then install your floor coverings.

What type of sound does Fabreeka QuietDown reduce?

Mid to high frequency impact sounds, such as sliding chairs, moving furniture, people walking in hard soled shoes, children dropping toys, pots, pans or items being dropped in kitchens.

I want to get rid of the sound of booming bass, will Fabreeka QuietDown work for this?

No. Most acoustic underlay products will not get rid of low frequency sound transmission. In order to reduce low frequency sounds you need a combination of mass and structure, similar to the egg carton products you see in sound studios. This type of shape does not lend itself to underlay.

Why does Fabreeka QuietDown come in sheets and not rolls?

Homeowners and contractors have told us that rolls are heavy and cumbersome on a job site. Sheets are preferred for ease of installation.

What do you recommend I use for adhesive?

For tile/stone installations, use any brand name polymer modified thin set mortar that complies with TCNA (Tile Council of North America) specifications. For wood floor installations, use any brand name wood flooring urethane adhesive that complies with NWFA (National Wood Flooring Association) specifications.

What is IIC?

IIC, or Impact Insulation Class, is a unit of measure used in acoustics to measure the amount of impact sound transmission that passes through a subfloor. IIC ratings are dependent on entire assemblies, not a single element.

Does the higher IIC number mean the product is better?

Not necessarily. Unfortunately, a number of manufacturers claim that their products achieve extremely high IIC numbers. In order to determine the benefit of any underlayment, an IIC test must be done on the floor with and without the underlayment. The difference is the Delta IIC (Δ IIC), which is what the underlayment contributes to the assembly. Laboratory and field tests of Fabreeka QuietDown have been conducted by independent organizations. Copies are available upon request.

Can Fabreeka QuietDown be used on walls?

Fabreeka QuietDown is tested and approved for use as an underlay below hard surface flooring. The product should be tested before use in other applications.


sales@bmssi.ca

Are you an Architect or Design Firm who would like to know more about Fabreeka's products for building and construction?


Fabreeka offers a Learn at Lunch program just for you. Fabreeka's presentation can assist with PDH credits and has been approved by several organizations. Please contact Fabreeka to find out more.

1-800-580-4195, sales@bmssi.ca

[Product Catalog](#)




PTFE Bearing Pads



SA-47 Bearing Pads



Fabreeka-TIM®
Structural Thermal Break



Fabreeka® Bearing
Pads



Isolation Washers
& Bushings



Expansion Bearings

Disclaimer

This document and all of the materials contained herein is the property of Fabreeka International, Inc., its subsidiaries or affiliates. Informational text, photographs, illustrations, artwork, graphics, layout, names, logos, trademarks and service marks are the property of Fabreeka International, Inc. or its licensors and are protected by copyright, trademark and intellectual property laws of the United States and other countries. Use of this document is at the risk of the user. Any information in this document pertaining to the company's products is provided as a convenience to the users and does not constitute an offer to sell or otherwise obligate Fabreeka International, Inc., in any way. Fabreeka International, Inc. specifically disclaims all warranties of any kind, expressed, implied, or otherwise, including without limitation warranties of merchantability, fitness for particular purpose, or noninfringement. In no event shall Fabreeka International, Inc. be liable for damages, including special, incidental, indirect or consequential damages for loss of use, data or profits under any theory of liability, arising out of or in connection with these materials. All rights not expressly granted herein are reserved. Material in this document may not be reproduced, modified, published, distributed, displayed, retransmitted in any form, nor used for any commercial purpose, without the express written permission of Fabreeka International, Inc.

Note: The results contained herein were obtained from a representation of a typical batch of materials. Batch to batch variation is expected and is normal in the manufacturing process. Fabreeka International, Inc. makes no representations nor warranties and there are no conditions with respect to the accuracy, reliability, or applications of the information contained herein, its products or the safety or suitability thereof, or results obtained, whether expressed or implied, including, without limitation, any implied warranty or merchantability or fitness for a particular purpose. Buyers and users must determine the results to be obtained from the application of the information herein and assume all risk, responsibility, and liability for all injuries, losses, or damages arising from the application of the information or use of Fabreeka International, Inc.'s products, whether or not occasioned by Fabreeka International, Inc.'s negligence or based on strict product liability. Fabreeka International, Inc. neither assumes, nor authorizes any person to assume for it, any liability in connection with the use of the information contained herein of its products.

Every attempt has been made to ensure accuracy of the product descriptions in this catalog at the time of printing. However, the products and their formulas are subject to change without notice.

sales@bmssi.ca
Tel: (800) 580-4195
E-mail: sales@bmssi.ca
www.bmssi.ca